

RUSSELL FINEX

SECTION 9

9.0 RECOMMENDED SPARES

For continuous operation of the Russell Compact sieve, the following spares are recommended for each unit.

9.1 CONSUMABLE SPARES

Russell Finex recommends that these items are examined for wear every time the unit is stripped for cleaning or every month, whichever comes first. These items should be replaced at least once per year.

We recommend you keep at least one spare set of each available at your premises.

ONE MESH OF EVERY SIZE USED

COMPACT 400

PART NO.	DESCRIPTION
27452	Gasket
27189	Set Clamp Pads with Spindles, 4 off (Mild Steel Plated)
	or
27189/1	Set Clamp Pads with Spindles, 4 off (Stainless Steel)

COMPACT 600

PART NO.	DESCRIPTION
17324	Gasket, White Rubber Channel
01176/2	Gasket, White Rubber Channel
27189	Set Clamp Pads with Spindles, 4 off (Mild Steel Plated)
	or
27189/1	Set Clamp Pads with Spindles, 4 off (Stainless Steel)

COMPACT 900

PART NO.	DESCRIPTION
17909	Gasket, White Rubber Channel
27189	Set Clamp Pads with Spindles, 6 off (Mild Steel Plated)
	or
27189/1	Set Clamp Pads with Spindles, 6 off (Stainless Steel)

RUSSELL FINEX

SECTION 9 (continued)

COMPACT 1200

PART NO.	DESCRIPTION
27122	Gasket, White Rubber, Channel
27189	Set Toggle Clamp Pads with Spindles, 9 off (Mild Steel Plated)
or	
27189/1	Set Toggle Clamp Pads with Spindles, 9 off (Stainless Steel)

COMPACT RANGE

PART NO.	DESCRIPTION
25306	Ø150mm Flexible Connection
25308	Ø200mm Flexible Connection
25310	Ø250mm Flexible Connection

9.2 MAINTENANCE SPARES

These items should be replaced once a year to keep your Russell machine operating effectively and avoid other parts of the machine being affected by wear.

COMPACT 400

QTY	PART NO.	DESCRIPTION
4	H1234	Suspension Mount
1	16324/10	Earthing Braid
4	27430	Compact Clamp (Mild Steel Plated)
or		
4	27435	Compact Clamp (Stainless Steel)

COMPACT 600

QTY	PART NO.	DESCRIPTION
4	16108	Suspension Top
4	H5298	Suspension Bottom
1	16324/10	Earthing Braid
4	27430	Underclamp (Mild Steel Plated)
or		
4	27435	Underclamp (Stainless Steel)

RUSSELL FINEX

SECTION 9 (continued)

COMPACT 900

QTY	PART NO.	DESCRIPTION
4	H5298	Suspension Top
4	H5295	Suspension Bottom
2	16324/10	Earthing Braid
6	27178	Underclamp (Mild Steel Plated)
	or	
6	27179	Underclamp (Stainless Steel)

COMPACT 1200

QTY	PART NO.	DESCRIPTION
2	H1246	Suspension Mount
2	H1248	Suspension Bottom
2	H1245	Suspension Top
2	27153	Earthing Braid
2	H1247	Suspension Bottom
9	27178	Clamp (Mild Steel Plated)
	or	
9	27179	Clamp (Stainless Steel)

9.3 GENERAL SPARES

These items should not need replacing yearly but are mentioned where you might need to replace them after very extended use or damage.

QTY	PART NO.	DESCRIPTION
	25186	Retention Clip for Ø150mm Flexible Connection
	16840	Retention Clip for Ø200mm Flexible Connection
	25187	Retention Clip for Ø250mm Flexible Connection

9.4 SPARES DIRECT

UK and rest of world

Tel: +44 (0) 20 8818 2020

Fax: +44 (0) 20 8818 2021

Email: spares@russellfinex.com

USA

Tel: +1 704 588 9808 Ext. 123

Fax: +1 704 588 0738

Email: parts@russellfinexinc.com

Central Europe

Tel: +32 (0) 15 27 59 19

Fax: +32 (0) 15 21 93 35

Email: spares@russellfinex.be